Kodak i80

A new direction for centralized or decentralized document management systems. Are you looking for the ideal document scanner for your busy office? Look no further than the Kodak i80 Scanner. The i80 scanner fits single-user installations, as well as large, organization-wide network applications. With up to 600 dpi optical resolution, the i80 Scanner provides excellent image quality for all types of documents: bitonal, grayscale and color. You can scan pictures for presentations, web publishing and more. A unique feature is the new Duplex CCD that allows scanning of both document sides in one path. Scanning speed is up to 35 sheets per minute in simplex or 70 images per minute in duplex. The i80 captures a variety of documents including invoices, contracts, letters, notes and more. The Automatic Document Feeder (ADF), with a 75-sheet capacity, lets you scan a wide range of documents. For magazines and books, simply use the integrated flatbed. The i80 Scanner fits easily on any desk. Its quiet and ergonomic operation makes it ideal for busy office environments everywhere. The new Kodak i80 Scanner can help you to save costs in administration, improve service quality with faster access to documents, make work flow more efficient, and give you greater management control.

www.dooyoo.co.uk :: Computer :: Scanner :: Kodak i80

General	
Type	Document scanner - desktop
Max Supported Document Size	216 x 356 mm
Width	83.3 cm
Depth	35 cm
Height	19.9 cm
Weight	7.1 kg

Copyright © 2009 dooyoo GmbH

Scanner	
Input Type	Colour
Grayscale Depth	8-bit (256 grey levels)
Colour Depth	48-bit colour
Optical Resolution	600 dpi x 600 dpi
Interpolated Resolution	1200 dpi x 1200 dpi
Scan Mode	Single/duplex pass
Scan Element Type	CCD
Duty Cycle	1500 scans per day
Scanner Speed Details	35 ppm - black & white - A4 - 200 dpi ¦ 27 ppm - greyscale - A4 - 200 dpi ¦ 20 ppm - colour - A4 - 150 dpi
Compliant Standards	TWAIN, ISIS

Media Handling	
Max Document Size	215 mm x 356 mm
Supported Document Type	Plain paper
Document Feeder Type	Manual load, autoload
Document Storage Capacity	75 sheets

Expansion / Connectivity	
Interfaces	1 x Fast SCSI - 50 PIN Centronics ¦ 1 x Fast SCSI - 25 pin D-Sub (DB-25)

Miscellaneous	
Included Accessories	Automatic document feeder
Compliant Standards	FCC Class B certified, CE, UL, TUV GS, C-Tick, BSMI, VCCI Class B ITE, cUL, EN 61000-3-2, EN55022, TUV S, EN 61000-3-3, EN55024

Power	
Power Device	Power adapter - external
Voltage Required	AC 120/230 V (50/60 Hz)
Power Consumption Operational (Standby)	38.4 Watt (9.8 Watt)

Software / System Requirements	
Software Included	Drivers & Utilities, ScanSoft PaperPort LE
Min RAM Size	128 MB

Copyright © 2009 dooyoo GmbH

Environmental Parameters	
Min Operating Temperature	5 °C
Max Operating Temperature	35 °C
Humidity Range Operating	20 - 80%
Sound Emission	58 dBA

Copyright © 2009 dooyoo GmbH